

FOR SAFETY, EFFICIENCY & BETTER INDOOR AIR QUALITY

ArmaFlex Class 0

The trusted insulation system for HVAC applications

- // Class 0 fire classification according to BS476 Parts 6 and 7
- // Reduces mould and bacteria growth with Microban antimicrobial product protection, unique to Armacell
- // Effectively reduces thermal and energy loss

www.armacell.com.sg











ArmaFlex Class 0

Your trusted insulation system for HVAC applications. Conserves energy and reduces heat loss. Class 0 fire classification according to BS476 Parts 6 and 7. Certified by leading international fire safety agencies. Fibre-free. Infused with Microban antimicrobial protection for even better indoor air quality.

Energy efficient



Easy to install



Better air quality



// Excellent fire performance

FM Approved for entire range of insulation thickness. Certified to conform to safety, reliability and performance standards of various local fire safety bodies.

// Closed-cell structure

Minimises moisture permeation to ensure long-term protection against corrosion under insulation. Removes the need for an additional water vapour barrier.

// Energy efficient

Low thermal conductivity minimises energy losses to give long term energy savings.

// Microban protection

When microbes come into contact with the insulation surface, Microban penetrates the cell wall of the microorganism, disabling its ability to function, grow and reproduce.

// Environmentally safe

Zero Ozone Depletion Potential and Global Warming Potential; rated "Excellent" by Singapore Green Building Council.

// Safer indoor air quality

Free of fibre and formaldehyde, and GREENGUARD® Gold certified for low emissions of volatile organic compounds.

// Easy-to-install

Highly flexible elastomeric foam that can be installed quickly on irregular shapes and installations in tight spaces.



TECHNICAL DATA - ARMAFLEX CLASS 0

| Brief description | ArmaFlex Class 0 is a flexible insulation material that reliably protects against water vapour ingress due to its closed-cell structure. No additional water vapour barrier is required. | | | | | |
|--|---|--|-------------------------------------|--|--|--|
| Product colour range | Black | | | | | |
| Special features | ArmaFlex sheets is infused with Microban antimicrobial protection to provide additional assurance against mould and bacteria | | | | | |
| Applications | | nd cold water services, ercial, industrial, residential | | | | |
| Installation | Please refer to the ArmaFlex application manual for advice. ArmaFlex can be used together with ArmaFlex 520 adhesive and ArmaFix pipe hangers for a complete insulation system. | | | | | |
| Property | Value / Assessmen | t | | | Standard / Test method | |
| Temperature range | | | | | | |
| Service temperature | Min. °C | | Max. °C | Max. °C | | |
| | -50 | | 105 | 105 | | |
| | Remarks | | +85 °C if sheet or whole surface | +85 $^{\rm o}{\rm C}$ if sheet or tape is glued to the object with its whole surface | | |
| Thermal conductivity | | | | | | |
| Declared thermal conductivity | θm | -20°C | ±0°C | 25℃ | ASTM C518, EN ISO 8497 — GB/T 10295, GB/T 10296 | |
| | λd ≤ [W/(m⋅K)] | 0.032 | 0.034 | 0.036 | | |
| Fire Performance and Approval | ls | | | | | |
| Surface spread of flame | Class 1 | | | | BS 476 Part 7 | |
| Fire propagation for products | Fire propagation index, $I \le 12$, Sub-index, $i_1 \le 6$. Class 0 rating for achieving the above and Class 1 per BS 476 Part 7 | | | BS 476 Part 6 | | |
| Burning behaviour of building materials and products | Class B1 | | | | GB 8624 | |
| Surface flammability | Marine application: Low flame spread material | | | | IMO 2010 FTP Code, Part 5 | |
| FM approved | Yes | | | | FM 4924 | |
| Flammability | | | | | | |
| Flammability of plastic materials | V-0 rating | | | | UL 94 | |
| Fire performance | | | | | | |
| Practical fire behaviour | Does not generate fla | ming droplets. | | | | |
| Others | Registered by the Fire Services Department of Hong Kong for the entire range of thickness. Product conforms to the requirements for building products under the Fire Safety and Shelter Department, Singapore. | | | | | |
| Resistance to water vapour | | | | | 1 | |
| Water vapour diffusion resistance factor | µ ≥ 10,000 | | | | GB/T 17146, EN 12086, EN 13469 | |
| Water vapour permeability | ≤ 1.96 x 10 ⁻¹¹ g/(m·s·F | Pa) | | | GB/T 17146, EN 12086, EN 13469 | |
| Resistance to water | | | | | | |
| Water absorption | ≤ 0.2% by volume | | | | ASTM C1763 | |
| Water absorption by vacuum | < 0.5% by volume | | | | GB/T 17794 | |
| Mechanical properties | | | | | | |
| Resilience after compression relief | ≥ 70% | | | | GB/T 6669 | |
| | | | | | | |

| Property | Value / Assessment | Standard / Test method |
|--|---|---------------------------|
| Weather and UV resistance | | |
| Outdoor use | For UV protection, ArmaFinish Paint or Arma-Chek® covering system is required. For outside use, ArmaFlex should be protected within three days of installation. | _ |
| Health and environment | | |
| Antimicrobial behaviour | Built-in Microban antimicrobial product protection in sheets | |
| Health aspects | Free of fibre and formaldehyde. Low volatile organic compounds (VOC) and total aldehyde. GREENGUARD Gold for even lower VOC and total chemical emissions. | UL 2818 |
| Environmental aspects | Zero ODP and GWP. Complies with Restriction of Hazardous Substances Directive (RoHS). | |
| Environmental Product Declaration (EPD) | Type III EPD: Declaration number 4789125188.101.1, UL Environment. | ISO 14025 |
| Green building assessment | Singapore Green Building Product Certified: "Excellent" rating. | |
| Other technical features | | |
| Chemical resistance | Excellent resistance to ozone, oil and chemicals (consult product test list). | |
| Shelf life | Self-adhesive sheets, tubes and tapes: 1 year. | |
| Storage | Material shall be stored in dry, clean rooms at normal relative humidity (50% to 70%) and ambient temperature (0 $^{\circ}$ C to 35 $^{\circ}$ C). | |
| | | |

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute nor is part of a legal offer to sell or to contract.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our Data Protection Policy

Trademarks followed by ® or ™ are trademarks of the Armacell Group. © Armacell, 2024. All rights reserved.

TDS | 052024 | en-SG

ABOUT ARMACELL

As the inventor of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With more than 3,300 employees and 25 production plants in 19 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for acoustic and lightweight applications, recycled PET products, next-generation aerogel technology and passive fire protection systems.

