

INSTALL IT. TRUST IT.


ArmaFix Clamps

The reliable partner for a secure fix

// Quick release
// Combination nut for mounting











TECHNICAL DATA - ARMAFIX CLAMPS

Pipe clamp with a quick release and a combination nut for mounting.	
Steel with an electrolytic zinc coating.	
The clamps are supplied with a nut for fixing.	
Silver	
Where thermal bridging should be avoided in refrigeration and air-conditioning installations, which appropriate ArmaFlex type and ArmaFix pipe-hanger.	are intended to be insulated with
Value / Assessment	Standard / Test method
No insulation layer in clamp / pipe fastener to affect fire performance of the clamp itself.	
Screw connections: M 8 / M 10 combination nut Tension screws: M 6 and M 8 Clamp Width: 20 to 30 mm; Thickness 1,5 to 3,0 mm	
	Steel with an electrolytic zinc coating. The clamps are supplied with a nut for fixing. Silver Where thermal bridging should be avoided in refrigeration and air-conditioning installations, which appropriate ArmaFlex type and ArmaFix pipe-hanger. Value / Assessment No insulation layer in clamp / pipe fastener to affect fire performance of the clamp itself. Screw connections: M 8 / M 10 combination nut Tension screws: M 6 and M 8

Clamp

Item	Content [quantity]
PCX 025/030	25 piece
PCX 033/037	25 piece
PCX 038/041	25 piece
PCX 042/046	25 piece
PCX 047/052	25 piece
PCX 054/058	25 piece
PCX 059/063	25 piece
PCX 063/068	25 piece
PCX 068/073	10 piece
PCX 072/080	10 piece
PCX 082/085	10 piece
PCX 088/092	10 piece
PCX 092/099	10 piece
PCX 099/103	10 piece
PCX 108/112	10 piece
PCX 112/118	10 piece
PCX 125/130	10 piece
PCX 133/137	10 piece
PCX 137/142	10 piece
PCX 145/152	10 piece
PCX 153/164	10 piece
PCX 159/164	10 piece
PCX 164/169	10 piece
PCX 168/173	10 piece
PCX 190	10 piece
PCX 199	10 piece
PCX 206	10 piece
PCX 222	10 piece
PCX 231	10 piece
PCX 249	10 piece
PCX 259	10 piece

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute nor is part of a legal offer to sail or to contract.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our Data Protection Policy.

Trademarks followed by ® or ™ are trademarks of the Armacell Group. © Armacell, 2023 All rights reserved.

ArmaFix | ArmaFix Clamps | Brochure | 032024 | en-GB

ABOUT ARMACELL

As the inventor of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With more than 3,300 employees and 25 production plants in 19 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for acoustic and lightweight applications, recycled PET products, next-generation aerogel technology and passive fire protection systems.

