

INSTALL IT. BENEFIT FROM THE RANGE.

Tubolit Accessories

Professional accessories for the full Tubolit product range

- // Various tapes available for every application
- // Moisture-resistant with / without self-adhesive
- // Different surface coverings available
- // Clips for fixation of Tubolit Tubes
- // Easy to install










ArmaLight Tubolit



ArmaLight Tubolit saves energy, improves acoustic comfort in buildings and protects pipes installed within the building shell. ArmaLight Tubolit is the most complete range of thermal, acoustical and protective insulation products for installations of heating, domestic hot and cold water and sewage pipes in both residential as well as public and commercial buildings.

Heating Domestic hot water

Cold water Waste pipes water

Typical application areas

Product	Type of installation				Additional Benefit /Requirement				
ArmaLight Tubolit	Heating	Domestic hot water	Cold water pipes	Waste water	Extra protection	50% faster application	Noise reduction	Under plaster	Under floor
DG	•••	•••	• •						
DG self-seal	•••	•••	• •			√			
DG-B1	•••	•••	• •						
DG Plus	•••	•••	• •						
S	•••	•••	• •		√		√	√	
S Plus			•••		√		√	√	
DHS Quadra	•••				√		√		√
AR Fonowave				•••	√		√		
AR Fonoblok				• • •	√		√		

TECHNICAL DATA - TUBOLIT ACCESSORIES

Brief description	Accessories for installing Tubolit insulation: Tubolit clips, Tubolit bands and tapes						
Property	Value / Assessment	Standard / Test method					
Operating temperature							
Operating temperature	Maximum temperature: +85 °C Minimum temperature: As is usual in plumbing and heating installations	EN 14706, EN 14707, EN 14313					
Fire Performance and Appro	ovals						
Reaction to fire	Tubolit clips E class Tubolit DG Tape E class	EN ISO 11925-2, EN 13501-1					
Health and environment							
Environmental aspects	Tubolit Clips and Tubolit tapes comply with REACH regulation						

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute not is not a legal offer to sail are to contract.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our Data Protection Policy.

Trademarks followed by ® or ™ are trademarks of the Armacell Group. © Armacell, 2024. All rights reserved.

TDS | 032024 | en-GB

ABOUT ARMACELL

As the inventor of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With more than 3,300 employees and 25 production plants in 19 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for acoustic and lightweight applications, recycled PET products, next-generation aerogel technology and passive fire protection systems.

