MATERIAL SAFETY DATA SHEET

| | | | <u>l. l</u> | PRODUCT IN | | | | | | | |
|--|---|-----------|--|---|-------------------------------------|---|----------------------------------|----------------------|--|--|--|
| PRODUCT IDENTIFIER: | ARMACE | LL POOL N | NOODLES | | ARMACELL CANA | SUPPLIER / MANUFACTURER NAME & ADDRESS: ARMACELL CANADA INC | | | | | |
| TRADE NAME: | SEE ABC | VE | | | | 153 VAN KIRK DRIVE BRAMPTON, ONTARIO | | | | | |
| CHEMICAL | POLYETH | HYLENE | | | L7A 1A4 | | | | | | |
| IDENTITY: | ENTITY: | | | | | | | 1-905-846-3666 | | | |
| SYNONYMS: N/A | | | | | FAX NO.: EMERGENCY PHONE NO.: | | 1-905-846-0363 1-800-387-3847 | | | | |
| FORMULA: | N/A | | | | PRODUCT USE: | | WATER TOY | | | | |
| CHEMICAL FAMILY: | N/A | | | | WHMIS CLASS: | A | А | | | | |
| SHIPPING | N1/A | | | PRODI | JCT ID NUMBER: | | TDG CLASSIFICATION: | | | | |
| NAME: | N/A | | | N/A | N/A | | | | | | |
| II. HAZARDOUS INGREDIENTS | | | | | | | | | | | |
| INGREDIENTS % (\ | | | /OL.) | CAS NO. | LD ₅₀ (Species & Routes) | LC ₅₀ (Rat, 4hrs.) | | TLV-TWA (ACCGIH)* | | | |
| N/A | | | | | | | | | | | |
| * Applicable provincial TL | V's may diff | fer | | 1 | | | | 1 | | | |
| III. PHYSICAL DATA | | | | | | | | | | | |
| PHYSICAL STATE: | GAS | LIQUID | SOLID | FREEZING POIN | Γ: N/A | MELTING F | POINT: | + 212°F | | | |
| BOILING POINT 760 mm Hg: | N/A | | | VAP. PRESS at 20 °C: | N/A | MOLECULA WEIGHT: | AR | N/A | | | |
| SPECIFIC GRAVITY LIQUID (water = 1): | 0.01 - 0.03 | | | SOLUBILITY IN WATER(% BY W | Г): N/A | <u> </u> | | | | | |
| SPECIFIC GRAVITY VAPOUR (air = 1): | N/A | | | EVAPORATION RATE (Butyl acetate = 1): | N/A | COEFFICIE WATER / O DISTRIBUT | IL | N/A | | | |
| VAPOUR DENSITY: | N/A | | | % VOLATILES B' | N/A | ODOR THE | ESHOLD: | N/A | | | |
| APPEARANCE AND | DDOR: | SOFT RC | UND FOAI | M / NEGLIGIBLE C | DOR | | | | | | |
| | | | IV. FI | RE OR EXPLO | OSION HAZARD |) | | | | | |
| FLAMMABLE?: | YES NO IF YES, UNDER WHAT CONDITIONS?: NON HAZARDOUS POLYETHYLENE FOAM. WILL BURN IF IGNITED | | | | | | | | | | |
| FLASH POINT TEST METHOD: N/A | | | | AUTOI | GNITION TEMP. | + 644°F | + 644 ℉ | | | | |
| FLAMMABLE LIMITS IN AIR, % BY VOLUME: | | | | | | | | | | | |
| EXTINGUISHING MEDIA: WATER (SPRAY OR FOG), CO ₂ , FOAM, DRY CHEMICALS | | | | | | | | | | | |
| SPECIAL FIRE FIGHT | ING PRO | CEDURES | <u> </u> | | | | | | | | |
| COOL FIRE EXPOSE | | | - | RAY BEFORE HAN | IDLING | | | | | | |
| UNUSUAL FIRE AND EXPLOSION HAZARDS: | | | | | | | | | | | |
| NONE | | | | | | | | | | | |
| HAZARDOUS COMBI | | RODUCTS | : | NONE | | | | | | | |
| SENSITIVITY TO IMPACT: | | | | NONE | | | | | | | |
| SENSITIVITY TO STATIC DISCHARGE: | | | | NONE | | | | | | | |

MATERIAL SAFETY DATA SHEET

| | V. REA | ACTIVITY DATA | Α | | | | | | | |
|------------------------------|--|----------------------------------|-------------------------|-------------|--|--|--|--|--|--|
| STABILITY: | STABLE UNSTABLE CONDITION | ONS OF CHEMICAL | <u> INSTABILITY:</u> | | | | | | | |
| | | AY FROM OPEN F | | | | | | | | |
| INCOMPATIBLE PRO | DDUCTS: | | COMPOSITION PRODUCTS: | | | | | | | |
| ZYLENE | MAY OCCUP WILL NOT OCCUP | NONE KNOWN CONDITIONS OF | DEACTIVITY. | | | | | | | |
| HAZARDOUS POLYMERIZATION: | MAY OCCUR WILL NOT OCCUR | N/A | NEACTIVITY. | | | | | | | |
| VI. TOXICOLOGICAL PROPERTIES | | | | | | | | | | |
| ROUTES OF | SWALLOWING SKIN ABSORBTION | | | EYE CONTACT | | | | | | |
| EXPOSURE: | SWALLOWING SKIN ABSORBTION | INFIALA | _ | ETE CONTACT | | | | | | |
| EFFECTS OF A SING | LE (ACUTE) OVEREXPOSURE BY: | <u> </u> | | | | | | | | |
| SWALLOWING: | | | | | | | | | | |
| SKIN ABSORBTION: | | | | | | | | | | |
| INHALATION: | CHOKING - MECHANICAL BLOCKAGE | | | | | | | | | |
| SKIN CONTACT: | | | | | | | | | | |
| EYE CONTACT: | | | | | | | | | | |
| EFFECTS OF REPEA | TED (CHRONIC) OVEREXPOSURE: | | | | | | | | | |
| N/A | | | | | | | | | | |
| OTHER EFFECTS OF NONE | OVEREXPOSURE: | | | | | | | | | |
| | NS AGGRAVATED BY OVEREXPOSURE: | , | | | | | | | | |
| N/A | NO AGGILATED BY OVEREX OSOILE. | <u>.</u> | | | | | | | | |
| | RATORY DATA WITH POSSIBLE RELEVA | NCE TO HUMAN H | EALTH HAZARD VIOLATION: | | | | | | | |
| N/A | | | | | | | | | | |
| | VII. PREVEN | ITATIVE MEAS | SURES | | | | | | | |
| PERSONAL PROTEC | TION: | | | | | | | | | |
| RESPIRATORY PROTECTION: | CLOTH MASK IF FABRICATING (CUTTING DUST) | PROTECTIVE GLOVES: | WHEN BEING HEATED | | | | | | | |
| EYE PROTECTION: | SAFETY GLASSES WHEN BEING FABRICATED | OTHERS: | NONE | | | | | | | |
| SPECIFIC ENGINEER | | lucou. | NIGAL | | | | | | | |
| VENTILATION: | WHEN BEING FABRICATED | MECHANICAL WHEN BEING FABRICATED | | | | | | | | |
| OTHERS: | N/A | | | | | | | | | |
| STEPS TO BE TAKE | N IF MATERIAL IS RELEASED OR SPILLE | <u> </u> | | | | | | | | |
| N/A - SOLID FOAM, N | ION TOXIC, FLOATABLE FOAM | | | | | | | | | |
| WASTE DISPOSAL N | IETHOD: | | | | | | | | | |
| LANDFILL, CONSULT | LOCAL ORDINANCE FOR COMPLIANCE | | | | | | | | | |
| SPECIAL HANDLING | AND STORAGE REQUIREMENTS: | | | - | | | | | | |
| AVOID OPEN FLAME | OR IGNITION CONDITIONS | | | | | | | | | |
| MIXTURES: | | | | | | | | | | |
| NONE | | | | | | | | | | |
| OTHER HANDLING A | ND STORAGE CONDITIONS: | | | | | | | | | |
| 1971 | VIII. FIRS | T AID MEASUI | RES | | | | | | | |
| SWALLOWING: | | SKIN CONTACT: | - | | | | | | | |
| N/A | | N/A | | | | | | | | |
| INHALATION: | | EYE CONTACT: | | | | | | | | |
| REMOVE BLOCKAGE | | CONSULT PHYSICIAN | | | | | | | | |